The development of the upper primary syllabus has attempted to emphasise the development of mathematical understanding and thinking in the child. It emphasises the need to look at the upper primary stage as the stage of transition towards greater abstraction, where the child will move from using concrete materials and experiences to deal with abstract notions. It has been recognised as the stage wherein the child will learn to use and understand mathematical language including symbols. The syllabus aims to help the learner realise that mathematics as a discipline relates to our experiences and is used in daily life, and also has an abstract basis. All concrete devices that are used in the classroom are scaffolds and props which are an intermediate stage of learning. There is an emphasis in taking the child through the process of learning to generalize, and also checking the generalization. Helping the child to develop a better understanding of logic and appreciating the notion of proof is also stressed.

ATHEMA'

CLASSES VI – VIII

The syllabus emphasises the need to go from concrete to abstract, consolidating and expanding the experiences of the child, helping her generalise and learn to identify patterns. It would also make an effort to give the child many problems to solve, puzzles and small challenges that would help her engage with underlying concepts and ideas. The emphasis in the syllabus is not on teaching how to use known appropriate algorithms, but on helping the child develop an understanding of mathematics and appreciate the need for and develop different strategies for solving and posing problems. This is in addition to giving the child ample exposure to the standard procedures which are efficient. Children would also be expected to formulate problems and solve them with their own group and would try to make an effort to make mathematics a part of the outside classroom activity of the children. The effort is to take mathematics home as a hobby as well.

The syllabus believes that language is a very important part of developing mathematical understanding. It is expected that there would be an opportunity for the child to understand the language of mathematics and the structure of logic underlying a problem or a description. It is not sufficient for the ideas to be explained to the child, but the effort should be to help her evolve her own understanding through engagement with the concepts. Children are expected to evolve their own definitions and measure them against newer data and information. This does not mean that no definitions or clear ideas will be presented to them, but it is to suggest that sufficient scope for their own thinking would be provided.

Thus, the course would de-emphasise algorithms and remembering of facts, and would emphasise the ability to follow logical steps, develop and understand arguments as well. Also, an overload of concepts and ideas is being avoided. We want to emphasise at this stage fractions, negative numbers, spatial understanding, data handling and variables as important corner stones that would formulate the ability of the child to understand abstract mathematics. There is also an emphasis on developing an understanding of spatial concepts. This portion would include symmetry as well as representations of 3-D in 2-D. The syllabus brings in data handling also, as an important component of mathematical learning. It also includes representations of data and its simple analysis along with the idea of chance and probability.

Syllabus for Classes at the Elementary Level 80

The underlying philosophy of the course is to develop the child as being confident and competent in doing mathematics, having the foundations to learn more and developing an interest in doing mathematics. The focus is not on giving complicated arithmetic and numerical calculations, but to develop a sense of estimation and an understanding of mathematical ideas.

General Points in Designing Textbook for Upper Primary Stage Mathematics

- 1. The emphasis in the designing of the material should be on using a language that the child can and would be expected to understand herself and would be required to work upon in a group. The teacher to only provide support and facilitation.
- 2. The entire material would have to be immersed in and emerge from contexts of children. There would be expectation that the children would verbalise their understanding, their generalizations, their formulations of concepts and propose and improve their definitions.
- 3. There needs to be space for children to reason and provide logical arguments for different ideas. They are also expected to follow logical arguments and identify incorrect and unacceptable generalisations and logical formulations.
- 4. Children would be expected to observe patterns and make generalisations. Identify exceptions to generalisations and extend the patterns to new situations and check their validity.
- 5. Need to be aware of the fact that there are not only many ways to solve a problem and there may be many alternative algorithms but there maybe many alternative strategies that maybe used. Some problems need to be included that have the scope for many different correct solutions.
- 6. There should be a consciousness about the difference between verification and proof. Should be exposed to some simple proofs so that they can become aware of what proof means.
- 7. The book should not appear to be dry and should in various ways be attractive to children. The points that may influence this include; the language, the nature of descriptions and examples, inclusion or lack of illustrations, inclusion of comic strips or cartoons to illustrate a point, inclusion of stories and other interesting texts for children.
- 8. Mathematics should emerge as a subject of exploration and creation rather than finding known old answers to old, complicated and often convoluted problems requiring blind application of un-understood algorithms.
- 9. The purpose is not that the children would learn known definitions and therefore never should we begin by definitions and explanations. Concepts and ideas generally should be arrived at from observing patterns, exploring them and then trying to define them in their own words. Definitions should evolve at the end of the discussion, as students develop the clear understanding of the concept.
- 10. Children should be expected to formulate and create problems for their friends and colleagues as well as for themselves.
- 11. The textbook also must expect that the teachers would formulate many contextual and contextually needed problems matching the experience and needs of the children of her class.
- 12. There should be continuity of the presentation within a chapter and across the chapters. Opportunities should be taken to give students the feel for need of a topic, which may follow later.

Image: Syllabus for Classes at the Elementary

Level

CLASS-WISE COURSE STRUCTURE IN MATHEMATICS AT UPPER PRIMARY LEVEL

	Class VI	Class VII	Class VIII
	Number System (60 hrs)	Number System (50 hrs)	Number System (50 hrs)
	(i) Knowing our Numbers:	(i) Knowing our Numbers:	(i) Rational Numbers:
	Consolidating the sense of	Integers	• Properties of rational numbers.
	numberness up to 5 digits, Size,	• Multiplication and division of	(including identities). Using
	estimation of numbers, identifying	integers (through patterns).	general form of expression to
	smaller, larger, etc. Place value	Division by zero is meaningless	describe properties
	(recapitulation and extension),	• Properties of integers (including	Consolidation of operations on
	connectives: use of symbols =, <, >	identities for addition &	rational numbers.
	and use of brackets, word problems	multiplication, commutative, associative,	• Representation of rational
	on number operations involving	distributive) (through patterns). These	numbers on the number line
	large numbers up to a maximum of	would include examples from	• Between any two rational
Syllabus for	5 digits in the answer after all	whole numbers as well. Involve	numbers there lies another
	operations. This would include	expressing commutative and	rational number (Making
Classes	conversions of units of length &	associative properties in a general	children see that if we take two
at the	mass (from the larger to the smaller	form. Construction of counter-	rational numbers then unlike for
Elementary	units), estimation of outcome of	examples, including some by	whole numbers, in this case you
	number operations. Introduction to	children. Counter examples like	can keep finding more and more
02	a sense of the largeness of, and initial	subtraction is not commutative.	numbers that lie between them.)
Ø.	familiarity with, large numbers up to	• Word problems including	• Word problem (higher logic,
	8 digits and approximation of large	integers (all operations)	two operations, including ideas
	numbers)	(ii) Fractions and rational	like area)
	(ii) Playing with Numbers:	numbers:	(ii) Powers
	Simplification of brackets,	• Multiplication of fractions	• Integers as exponents.
	Multiples and factors, divisibility rule	• Fraction as an operator	• Laws of exponents with integral
	of 2, 3, 4, 5, 6, 8, 9, 10, 11.	• Reciprocal of a fraction	powers
	(All these through observing	• Division of fractions	(iii) Squares, Square roots,
	patterns. Children would be helped	• Word problems involving mixed	Cubes, Cube roots.
	in deducing some and then asked	fractions	• Square and Square roots
	to derive some that are a	• Introduction to rational	• Square roots using factor
	combination of the basic patterns	numbers (with representation on	method and division method for
	of divisibility.) Even/odd and	number line)	numbers containing (a) no more
	prime/composite numbers,	• Operations on rational numbers	than total 4 digits and (b) no
	Co-prime numbers, prime	(all operations)	more than 2 decimal places

of integers on the number line, operation of addition and subtraction of integers, showing the operations on the number line (addition of negative integer reduces the value of the number) comparison of integers,

ordering of integers.

Class VI

Class VII

Class VIII

(v) Fractions:

Revision of what a fraction is, Fraction as a part of whole, Representation of fractions (pictorially and on number line), fraction as a division, proper, improper & mixed fractions, equivalent fractions, comparison of fractions, addition and subtraction of fractions (Avoid large and complicated unnecessary tasks). (Moving towards abstraction in fractions)

Review of the idea of a decimal fraction, place value in the context of decimal fraction, inter conversion of fractions and decimal fractions (avoid recurring decimals at this stage), word problems involving addition and subtraction of decimals (two operations together on money, mass, length and temperature)



Algebra (15 hrs) **INTRODUCTION TO ALGEBRA**

- Introduction to variable through patterns and through appropriate word problems and generalisations (example $5 \times 1 = 5$ etc.)
- Generate such patterns with more examples.
- Introduction to unknowns through examples with simple contexts (single operations)



Algebra (20 hrs) **ALGEBRAIC EXPRESSIONS**

- Generate algebraic expressions (simple) involving one or two variables
- Identifying constants, coefficient, powers
- expressions e.g., x^2y etc. $(exponent \leq 3, number of$ variables
- Addition, subtraction of algebraic

Algebra (20 hrs) (i) Algebraic Expressions

- · Multiplication and division of algebraic exp.(Coefficient should be integers)
- Some common errors (e.g. 2 + $x \neq 2x, 7x + y \neq 7xy$)
- Like and unlike terms, degree of $able = a^2 \pm 2ab + b^2$, $a^2 - b^2 = (a - b) (a + b)$ Factorisation (simple cases only) as examples the following types $a(x + y), (x \pm y)^2, a^2 - b^2,$ (x + a).(x + b)

for Classes at the Elementary Level 84

Syllabus

Class VI	Class VII	Class VIII			
	 expressions (coefficients should be integers). Simple linear equations in one variable (in contextual problems) with two operations (avoid complicated coefficients) 	• Solving linear equations in one variable in contextual problems involving multiplication and division (word problems) (avoid complex coefficient in the equations)			
 Ratio and Proportion (15 hrs) Concept of Ratio Proportion as equality of two ratios Unitary method (with only direct variation implied) Word problems 	 Ratio and Proportion (20 hrs) Ratio and proportion (revision) Unitary method continued, consolidation, general expression. Percentage- an introduction. Understanding percentage as a fraction with denominator 100 Converting fractions and decimals into percentage and vice-versa. Application to profit and loss (single transaction only) Application to simple interest (time period in complete years). 	 Ratio and Proportion (25 hrs) Slightly advanced problems involving applications on percentages, profit & loss, overhead expenses, Discount, tax. Difference between simple and compound interest (compounded yearly up to 3 years or half-yearly up to 3 steps only), Arriving at the formula for compound interest through patterns and using it for simple problems. Direct variation – Simple and direct word problems Time & work problems – Simple and direct word problems 			
Geometry (65 hrs)	Geometry (60 hrs)	Geometry (40 hrs)			
 (i) Basic geometrical ideas (2 -D): Introduction to geometry. Its linkage with and reflection in everyday experience. Line, line segment, ray. Open and closed figures. Interior and exterior of <i>closed</i> 	 (i) Understanding shapes: Pairs of angles (linear, supplementary, complementary, adjacent, vertically opposite) (verification and simple proof of vertically opposite angles) Properties of parallel lines with 	 (i) Understanding shapes: Properties of quadrilaterals – Sum of angles of a quadrilateral is equal to 360° (By verification) Properties of parallelogram (By verification) (i) Opposite sides of a 			
figures.	transversal (alternate,	parallelogram are equal,			

Class VI	Class VII	Class VIII
 Curvilinear and linear h Angle — Vertex, arm, and exterior, Triangle — vertices, side interior and exterior, altimedian Quadrilateral — Sides, angles, diagonals, adjace and opposite sides (onliquadrilateral are to be diinterior and exterior quadrilateral. Circle — Centre, diameter, arc, sector segment, semicircle, circum interior and exterior. <i>Syllabus for Classes at the Elementary Level</i> Measure of Line segmet Measure of angles Pair of lines Intersecting and product lines Intersecting and product lines Types of angles- acute right, straight, reflex, or and zero angle <i>Classification</i> of triangle <i>basis of</i> sides, and of an Types of quadrilate Trapezium, paraller rectangle, square, rhom Simple polygons (<i>intro</i> (Upto octagons regular as non regular). <i>Identification of</i> 3-D shape Cuboids, cylinder, sphere 	mundaries interiorcorresponding, interior, exterior angles)(ii) Properties of triangles:s, angles, s, angles,• Angle sum property (with notions of proof & verification through paper folding, proofs using property of parallel lines difference between proof and verification.)vertices, using property of parallel lines difference between proof and verification.)scussed), vertices, entails, chord, nference, (Verification only)mentary (iii) Symmetry • Idea of rotational symmetry observations of rotational symmetry of 2-D objects. (90% 120%, 180%)obtuse, ompleteobtuse, ompleteobtuse, omplete(in the gles) erals - ogram, ous.out out out cubactionvertices, edges, faces, nets (for cubaction)s as well cubactioncubact cubactioncubact cubactioncubact cubactionobtuse, cubactionobtuse, cubactionobtuse, cubactionobtuse, cubactionobtuse, cubactionout cubactionout cubactions (on the cubaction)s (on the cubaction)s (on the cubaction)s (on the cubaction)s (interior)s (interior)	 (ii) Opposite angles of a parallelogram are equal, (iii) Diagonals of a parallelogram bisect each other. [Why (iv), (v) and (vi) follow from (ii)] (iv) Diagonals of a rectangle are equal and bisect each other. (v) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Diagonals of a square are equal and bisect each other at right angles. (vi) Donating vertices, edges & faces & verifying Euler's relation for 3-D figures with flat faces (cubes, cuboids, tetrahedrons, prisms and pyramids) (iii) Construction: Construction of Quadrilaterals: Given four sides and one diagonal Three sides and two diagonals Three sides and two diagonals Three

Class VI		
CIASS VI		
prism (triangular), pyramid	• Mapping the space around	
(triangular and square)	approximately through visual	
Identification and locating in the	estimation.	
surroundings	(v) Congruence	
Elements of 3-D figures. (Faces,	Congruence through	
Edges and vertices)	superposition (examples-	
Nets for cube, cuboids, cylinders,	blades, stamps, etc.)	
cones and tetrahedrons.	• Extend congruence to simple	
iii) Symmetry: (reflection)	geometrical shapes e.g. triangles,	
Observation and identification	circles.	
of 2-D symmetrical objects for	• Criteria of congruence (by	
reflection symmetry	verification) SSS, SAS, ASA, RHS	
Operation of reflection (taking	(vi) Construction (Using scale.	
mirror images) of simple 2-D	protractor, compass)	
objects	 Construction of a line parallel to 	
Recognising reflection symmetry	a given line from a point outside	
(identifying axes)	it (Simple proof as remark with	
ig) Constructions (using	the reasoning of alternate angles)	
Straight edge Scale	 Construction of simple triangles 	
protractor compasses)	Like given three sides given a	
Drawing of a line segment	side and two angles on it given	
Construction of simple	two sides and the angle between	
Demendicular bisector	them	
Construction of angles (using	them.	
construction of angles (using		
$\frac{1209}{1209}$		
Angle 00° , 120° (Using		
Angle biggeter multiple		
Angle Disector- making angles		
of 30° , 45° , 90° etc. (using		
compasses)		
Angle equal to a given angle	14	
(using compass)	44 mg 44 mg 44 mg 44	
Drawing a line perpendicular to	O the	
a given line from a point a) on		
the line b) outside the line.		mm 10 20 30 40 50

Class VI	Class VII	Class VIII
Mensuration(15 hrs)CONCEPT OF PERIMETER ANDINTRODUCTION TO AREAINTRODUCTION TO AREAIntroduction and generalunderstanding of perimeter usingmany shapes. Shapes of differentkinds with the same perimeter.Concept of area, Area of arectangle and a square Counterexamples to different misconcepts relatedto perimeter and area.Perimeter of a rectangle – andis special case – a square. Deducingthe formula of the perimeter for arectangle and then a square throughpattern and generalisation.	Mensuration (15 hrs) • Revision of perimeter, Idea of , Circumference of Circle Area Concept of measurement using a basic unit area of a square, rectangle, triangle, parallelogram and circle, area between two rectangles and two concentric circles.	 Mensuration (15 hrs) (i) Area of a trapezium and a polygon. (ii) Concept of volume, measurement of volume using a basic unit, volume of a cube, cuboid and cylinder (iii) Volume and capacity (measurement of capacity) (iv) Surface area of a cube, cuboid, cylinder.
JorClasses at the Elementary LevelData handling (10 hrs)(i) What is data - choosing data to examine a hypothesis?88(i) Collection and organisation of data - examples of organising it in tally bars and a table.(ii) Pictograph- Need for scaling in pictographs interpretation & construction.(iv) Making bar graphs for given data interpreting bar graphs+.	 Data handling (15 hrs) (1) Collection and organisation of data – choosing the data to collect for a hypothesis testing. (ii) Mean, median and mode of ungrouped data – understanding what they represent. (iii) Constructing bargraphs (iv) Feel of probability using data through experiments. Notion of chance in events like tossing coins, dice etc. Tabulating and counting occurrences of 1 through 6 in a number of throws. Comparing the observation with that for a coin.Observing strings of throws, notion of randomness. 	Data handling(15 hrs)(1) Reading bar-graphs, ungrouped data, arranging it into grouped data, arranging it of grouped data through bar-graphs, constructing and interpreting bar-graphs.(ii) Simple Pie charts with reasonable data numbers(iii) Consolidating and generalising the notion of chance in events like tossing coins, dice etc Relating it to chance in life events. Visual representation of frequency outcomes of frequency outcomes of the same kind of coins or dice.Throwing a large number of identical dice/coins

